Anybus ComBricks Power Module



Item number: 101-230010

The Anybus 6A Power module provides additional power to the ComBricks backplane in case the Head Station is no longer able to power all inserted modules.

The extra power you need to extent your ComBricks installation

Features and benefits

The additonal power you need

This module can be used multiple times and work parallel to each other which accumulates to a maximum current of 12A

Back up redundant power

The module can also be used as redundant power for the backplane while the Head Station can read diagnostics live

Anybus ComBricks Power Module



General

Net Weight (g)	169
Packed Width (mm)	6
Packed Height (mm)	14
Packed Depth (mm)	20
Packed Weight (g)	245
Operating Temperature °C Min	-20
Operating Temperature °C Max	60
Current Consumption Type Value at Vcc Nom (mA)	60 mA
Power Wire Diameter (mm)	< 2.5 mm^2
Reverse Polarity Protection	Yes
Mounting	DIN rail mount (bracket included)
Housing Materials	Plastic
Packaging Material	Cardboard
Warranty (years)	1 Year

Identification and Status

Product ID	101-230010
Country of Origin	Sweden
HS Code	8471800000
Dual Usage	No
Export Control Classification Number (ECCN) (Applies only to the U.S)	EAR99

Anybus ComBricks Power Module



Physical Features

Contains Battery	No

Certifications and Standards

Protection Class IP	IP20
RoHS Compliant	Yes
Product Certifications	CE, UKCA, UL, FCC, EMC, RoHS
WEEE Category	IT and telecommunications equipment