Anybus ComBricks 1 Channel Repeater

Item number: 101-201101

The Anybus 1 Channel Repeater is a standard RS 485 PROFIBUS repeater module with diagnostic LEDs and redundancy feature.



A standard 1 Channel repeater to help segement your installation

Features and benefits

Modular integration

The 1 Channel repeater is directly connected to the Head Station for immediate data availablity

Strong communication signals

The built-in 12 Mbps core ensures increased RS 485 signal strength

Anybus ComBricks 1 Channel Repeater



General

Net Weight (g)	147
Packed Width (mm)	6
Packed Height (mm)	14
Packed Depth (mm)	20
Packed Weight (g)	244
Operating Temperature °C Min	-20
Operating Temperature °C Max	60
Current Consumption Type Value at Vcc Nom (mA)	300 mA
Current Consumption Max value at Vcc nom (mA)	500 mA
Power Wire Diameter (mm)	< 2.5 mm^2
Mounting	DIN rail mount (bracket included)
Housing Materials	Plastic
Packaging Material	Cardboard
Warranty (years)	1 Year

Identification and Status

Product ID	101-201101
Country of Origin	Sweden
HS Code	8471800000
Dual Usage	No
Export Control Classification Number (ECCN) (Applies only to the U.S)	EAR99

Anybus ComBricks 1 Channel Repeater



Physical Features

Contains Battery	No

Certifications and Standards

Protection Class IP	IP20
RoHS Compliant	Yes
Product Certifications	CE, UKCA, UL, FCC, EMC, RoHS
WEEE Category	IT and telecommunications equipment