

Anybus EtherTAP 1G

Item number: 513-00021A

The EtherTAP is a mobile monitoring interface that enables the in-depth analysis of PROFINET and EtherNet/IP traffic up to 1Gibt network speed.

Mobile measuring of network traffic information for advanced diagnstics

Features and benefits

- **Passive diagnostics around the clock**

  The EtherTAP is deisgned for mobile meaurements on your network at need

- **Additional network information for further analytics and diagnostics**

  Get an insight into your network traffic and see into the message jitter, dropped packets, and cycle-times per device

- **Message recording - but filtered**

  Message recording is now filtered based on your very own triggers. This customization lets your see messages when you require them.

Anybus EtherTAP 1G



General

Net Weight (g)	476
Packed Width (mm)	18
Packed Height (mm)	5
Packed Depth (mm)	24
Packed Weight (g)	588
Operating Temperature °C Min	0
Operating Temperature °C Max	50
Storage Temperature °C Min	-40
Storage Temperature °C Max	80
Input Voltage (V)	5V (USB 供电)
Housing Materials	Aluminium
Packaging Material	Cardboard
Warranty (years)	1 Year

Identification and Status

Product ID	513-00021A
Country of Origin	France
HS Code	8471800000
Dual Usage	No
Export Control Classification Number (ECCN)	EAR99

Physical Features

Contains Battery	No



Certifications and Standards

Protection Class IP	IP20
CE	Yes
UL	Yes
WEEE Category	IT and telecommunications equipment